



2V

2/2 Way Solenoid Valve

2V Series

2/2 Way Solenoid Valve


AKME
SOLUÇÕES EM AUTOMAÇÃO



Ordering Code

2V	025	08	AC110V
Specification	Orifice Size	Port Size	Standard Voltage
2V: 2/2 Way	025: 2.5mm	08: 1/4"	DC12V
			DC24V
			AC24V
			AC110V
			AC220V

Symbol



Specification

Model	2V025-08
Working Medium	Air
Operation	Direct
Type	Normal Close
Orifice	2.5mm
CV Value	0.23
Port Size	1/4"
Working-pressure	0,5 ~ 7 Bar
Max. Test Pressure	10 Bar
Max. Ambient Temperature	-10 ~ 80°C
Operating Voltage Tolerance	± 10%
Protect Class	IP 65
Power Consumption	AC: 6.5 VA DC: 6.5 W
Insulation	F Class
Material of Body	Aluminum
Material of Oil Seal	NBR
Response Time	0.05 Sec.
Coil	4V210 COIL DC12V/ 4V210 COIL DC24V/ 4V210 COIL AC24V/ 4V210 COIL AC110V/ 4V210 COIL AC220V

2V Series

2/2 Way Solenoid Valve

Overall Dimension

2V Series

